


Cuboids







User Instructions




Suggested Compositions




Numlighting tile system is a unique modular lighting system that can give you unlimited flexibility to be creative and design your own layout configurations and pattern compositions according to your space and taste.

4 Tiles Compositions



8 Tiles Compositions






Changing a composition is easy


After choosing the configuration and mounting the tiles, the system is dynamic and enables you to change the pattern composition without having to use any tools or even to disconnect the tile from the system. All there is to do is to pull the tile gently from its magnetic sockets, rotate it 90°, 180° or 270°, and reattach it again magnetically.

1. Pull




Be sure to hold the back side of the tile before pulling out. Note that due to the magnet connection, the tile is strongly attached to the base.




2. Rotate



3. Reattach




Rotating the tile opens new visual possibilities within the same configuration.



Remote Control

By using the remote control you can alter light tones from cool white to warm white and change the intensity of light, from functional room lighting to ambient lighting.

For atmosphere and fun, there are two pre-programmed scenarios that change automatically light tones and intensity of illumination.



Maintenance and Cleaning



Do not use alcohol or any other solvents. Use only a very soft cloth to clean the tile dampened with water.

Warranty

One year limited warranty – **num** will replace merchandise only if the nature of defect was a manufacturing defect.

Caution



There are no user-serviceable parts inside the unit. Do not open the housing or attempt any repairs yourself. In the unlikely event the tile may require service, please contact **num** lighting.

Technical Support

Phone 972-3-7440388

Fax 972-3-7440389

Email info@numlighting.com

Web site www.numlighting.com