



Light compositions

Num lighting specializes in modular decorative light fixtures.

Num's innovative tile system design enables tremendous flexibility for composing distinctive lighting configurations, personalized according to unique tastes and preferences, bringing artistic mode to any space.

The modular tiles can be easily mounted on a surface in many shapes or patterns and can be customized to any project.

The layout of the tiles creates unique and infinite compositions which can be transformed to another as each tile can be easily turned on its axis, adding to the dynamic and versatility of the creation.

Cuboids

Material
Polycarbonate

Color
White

Input Voltage
100-240V 50-60Hz AC

Driver Included.
Dimmable by
remote control (optional).

Packing
46cmx14cmx44cm / 18.5Inx5.5Inx17.7In




Power Consumption
MAX 10W


Weight
2.0 kg

Total of 240 leds
120 leds, 2800k
120 leds, 5000k

Luminous Flux
1089Lm

Certifications







Deco

Material
Polycarbonate

Color
White

Input Voltage
100-240V 50-60Hz AC

Driver Included.
Dimmable by
remote control (optional).

Packing
46cmx14cmx44cm / 18.5Inx5.5Inx17.7In

Power Consumption
MAX 10W

Weight
2.5 kg

Total of 240 leds
120 leds, 2800k
120 leds, 5000k



Luminous Flux
1089Lm




Certifications



7 cm
2.75 in

39.7 cm
15.63 in







Dune

Material
Polycarbonate

Color
White

Input Voltage
100-240V 50-60Hz AC

Driver Included.
Dimmable by
remote control (optional).

Packing
46cmx14cmx44cm / 18.5Inx5.5Inx17.7In


Power Consumption
MAX 12W




Weight
1.5 kg

Total of 324 leds
162 leds, 3000k
162 leds, 5000k

Luminous Flux
2100Lm

Certifications








A unique modular lighting system

Num Lighting Tile System offers you unlimited flexibility to be creative and design your own layout configurations and pattern compositions according to your space and taste.

Each tile comes with a wall mount unit that functions as a hanging device, supplying electrical power and control to the tile. The wall mount unit easily conjugate to other units, to form a multiple tile system. The tile is magnetically attached to a wall mount unit. This allows to detach the tile, rotate it in 90°, 180° or 270° and reattach it, to form a new pattern.


Installation and maintenance is easy. Tile installation does not need any special preparations and adjustments of the surface and is designed in a 'plug and play' manner.

The tiles can be dimmable and with a capability to change from cool to warm white light color by remote control. (5000k to 2800k)



Tel: 972-3-7440388
info@numlighting.com
www.numlighting.com

Photos: KZTLV Studios, Studio Raskin & Perelman
Copyright num lighting 2015
Num Lighting reserves the right to introduce any changes
to its own models without prior notice.



Tel: 972-3-7440388
info@numlighting.com
www.numlighting.com