


2020/21



INDEX


6

XO




34

DECO
TILE




46

DUNE
TILE




58

BELLA




70

TRI



84

PEEK




22

XO
PRO



40

CUBOIDS
TILE



52

TOP



64

CYLINDER 100



78


MULTI



88

360°





Num lighting is rooted in the belief that good design should realize complete functionality yet achieve aesthetics. This base drives us to produce lighting fixtures, which are versatile, innovative, and modern.

Our design seeks to inspire creativity and acts as a channel for expression. We aspire to provide lighting fixtures that will illuminate and elevate any space, meeting design at the cornerstone of purpose.

Located at the heart of the Hi-Tech scene of Tel-Aviv, we are inspired by its culture of originality and ingenuity.

Always in-keep with the high demands and standards of this fast-growing urban environment, we had the privilege to work with and provide luminaries to world-leading high-tech companies.



XO

Merging the functional with decorative, the XO, designed by Dor Carmon, is a distinct linear suspended light. Its curved streamline shape gives a timeless elegance, makes it suitable for any work and living space of any style. The unique structure of the XO allows down light, up-down light or, an all sides light. All options can come in many different finishes.






XO 689

PENDANT LUMINAIRES | DOWN LIGHT


110-127/220-240V | 14W



led				optics	
■ 8134	CRI 90	3000k	1428lm	diffused	
□ 8135	CRI 90	3000k	1428lm	diffused	
■ 8134N	CRI 90	4000k	1505lm	diffused	
□ 8135N	CRI 90	4000k	1505lm	diffused	

led				optics	
■ 8134M	CRI 90	3000k	1428lm	diffused	
□ 8135M	CRI 90	3000k	1428lm	diffused	

Side finishes




Materials: Aluminum, Veneer, Polycarbonate

XO 689

PENDANT LUMINAIRES | UP DOWN LIGHT


110-127/220-240V | 28W



led				optics	
■ 8136	CRI 90	3000k	2856lm	diffused	
□ 8137	CRI 90	3000k	2856lm	diffused	
■ 8136N	CRI 90	4000k	3010lm	diffused	
□ 8137N	CRI 90	4000k	3010lm	diffused	

led				optics	
■ 8136M	CRI 90	3000k	2856lm	diffused	
□ 8137M	CRI 90	3000k	2856lm	diffused	

Side finishes




Materials: Aluminum, Veneer, Polycarbonate

XO 689M

PENDANT LUMINAIRES | ALL SIDES

110-127/220-240V | 56W



	led				optics
8138	CRI 90	3000k	5712lm		diffused
8139	CRI 90	3000k	5712lm		diffused
8138N	CRI 90	4000k	6020lm		diffused
8139N	CRI 90	4000k	6020lm		diffused

150 mm
5.9"

35 mm
1.37"

max
200 mm
7.78"

689 mm
27.12"

70 mm
2.75"

	led				optics
8138M	CRI 90	3000k	5712lm		diffused
8139M	CRI 90	3000k	5712lm		diffused

150 mm
5.9"

35 mm
1.37"

max
200 mm
7.78"

689 mm
27.12"


70 mm
2.75"

Materials: Aluminum, Polycarbonate

XO 1284

PENDANT LUMINAIRES | DOWN LIGHT


110-127/220-240V | 28W



led		optics		
■ 8140	CRI 90	3000k	2856lm	diffused
□ 8141	CRI 90	3000k	2856lm	diffused
■ 8140N	CRI 90	4000k	3010lm	diffused
□ 8141N	CRI 90	4000k	3010lm	diffused

led		optics		
■ 8140M	CRI 90	3000k	2856lm	diffused
□ 8141M	CRI 90	3000k	2856lm	diffused

Side finishes




Materials: Aluminum, Veneer, Polycarbonate



XO 1284

PENDANT LUMINAIRES | UP DOWN LIGHT


110-127/220-240V | 56W



led		optics		
■ 8142	CRI 90	3000k	5712lm	diffused
□ 8143	CRI 90	3000k	5712lm	diffused
■ 8142N	CRI 90	4000k	6020lm	diffused
□ 8143N	CRI 90	4000k	6020lm	diffused

led		optics		
■ 8142M	CRI 90	3000k	5712lm	diffused
□ 8143M	CRI 90	3000k	5712lm	diffused

Side finishes




Materials: Aluminum, Veneer, Polycarbonate

XO 1284

PENDANT LUMINAIRES | SEPARATE UP DOWN LIGHT

110-127/220-240V | 56W




led		optics		
■ 8144	CRI 90	3000k	5712lm	diffused
□ 8145	CRI 90	3000k	5712lm	diffused
■ 8144N	CRI 90	4000k	6020lm	diffused
□ 8145N	CRI 90	4000k	6020lm	diffused

XO 1284


PENDANT LUMINAIRES | ALL SIDES LIGHT

110-127/220-240V | 112W



led		optics		
■ 8146	CRI 90	3000k	11424lm	diffused
□ 8147	CRI 90	3000k	11424lm	diffused
■ 8146N	CRI 90	4000k	12040lm	diffused
□ 8147N	CRI 90	4000k	12040lm	diffused

Side finishes




Materials: Aluminum, Veneer, Polycarbonate

Materials: Aluminum, Polycarbonate

XO 1879

PENDANT LUMINAIRES | DOWN LIGHT


110-127/220-240V | 42W



led				optics	
■ 8148	CRI 90	3000k	4284lm	diffused	
□ 8149	CRI 90	3000k	4284lm	diffused	
■ 8148N	CRI 90	4000k	4515lm	diffused	
□ 8149N	CRI 90	4000k	4515lm	diffused	

led				optics	
■ 8148M	CRI 90	3000k	4284lm	diffused	
□ 8149M	CRI 90	3000k	4284lm	diffused	

Side finishes




Materials: Aluminum, Veneer, Polycarbonate

XO 1879

PENDANT LUMINAIRES | UP DOWN LIGHT


110-127/220-240V | 84W



led				optics	
■ 8150	CRI 90	3000k	8568lm	diffused	
□ 8151	CRI 90	3000k	8568lm	diffused	
■ 8150N	CRI 90	4000k	9030lm	diffused	
□ 8151N	CRI 90	4000k	9030lm	diffused	

led				optics	
■ 8150M	CRI 90	3000k	8568lm	diffused	
□ 8151M	CRI 90	3000k	8568lm	diffused	

Side finishes




Materials: Aluminum, Veneer, Polycarbonate

XO 1879

PENDANT LUMINAIRES | SEPARATE UP DOWN LIGHT

110-127/220-240V | 84W



led				optics
8152	CRI 90	3000k	8568lm	diffused
8153	CRI 90	3000k	8568lm	diffused
8152N	CRI 90	4000k	9030lm	diffused
8153N	CRI 90	4000k	9030lm	diffused

Side finishes

Aluminum

Veneer

12

345


Materials: Aluminum, Veneer, Polycarbonate



XO PRO

The XO Pro is a uniquely designed linear pendant light. Designed by Dor Carmon, it joins the XO family to suit ideally to the office environment.

Its soft round corners and exclusive veneer choices make it a one of a kind light fixture that elevates any space.





XO PRO 1250

PENDANT LUMINAIRES | DOWN LIGHT

110-127/220-240V | 48W



led				optics
■ 8164	CRI 90	3000k	4980lm	prismatic
□ 8165	CRI 90	3000k	4980lm	prismatic
■ 8164N	CRI 90	4000k	5070lm	prismatic
□ 8165N	CRI 90	4000k	5070lm	prismatic

XO PRO 1250

PENDANT LUMINAIRES | UP DOWN LIGHT

110-127/220-240V | 72W



led				optics
■ 8166	CRI 90	3000k	7470lm	prismatic
□ 8167	CRI 90	3000k	7470lm	prismatic
■ 8166N	CRI 90	4000k	7620lm	prismatic
□ 8167N	CRI 90	4000k	7620lm	prismatic

XO PRO 1250


PENDANT LUMINAIRES | SEPARATE UP DOWN LIGHT

110-127/220-240V | 72W



led				optics
■ 8168	CRI 90	3000k	7470lm	prismatic
□ 8169	CRI 90	3000k	7470lm	prismatic
■ 8168N	CRI 90	4000k	7620lm	prismatic
□ 8169N	CRI 90	4000k	7620lm	prismatic

side finishes



Options: diffused / hidden light | Materials: Aluminum, Veneer, Polycarbonate

XO PRO 1470


PENDANT LUMINAIRES | DOWN LIGHT

110-127/220-240V | 60W



	led				optics
■ 8170	CRI 90	3000k	6225lm		prismatic
□ 8171	CRI 90	3000k	6225lm		prismatic
■ 8170N	CRI 90	4000k	6337lm		prismatic
□ 8171N	CRI 90	4000k	6337lm		prismatic

side finishes



XO PRO 1470

PENDANT LUMINAIRES | UP DOWN LIGHT

110-127/220-240V | 90W



	led				optics
■ 8172	CRI 90	3000k	9300lm		prismatic
□ 8173	CRI 90	3000k	9300lm		prismatic
■ 8172N	CRI 90	4000k	9490lm		prismatic
□ 8173N	CRI 90	4000k	9490lm		prismatic

Options: diffused / hidden light | Materials: Aluminum, Veneer, Polycarbonate

XO PRO 1470

PENDANT LUMINAIRES | SEPARATE UP DOWN LIGHT

110-127/220-240V | 90W



	led				optics
■ 8174	CRI 90	3000k	9300lm		prismatic
□ 8175	CRI 90	3000k	9300lm		prismatic
■ 8174N	CRI 90	4000k	9490lm		prismatic
□ 8175N	CRI 90	4000k	9490lm		prismatic

XO PRO 1910

PENDANT LUMINAIRES | DOWN LIGHT

110-127/220-240V | 72W



led				optics
■ 8176	CRI 90	3000k	7470lm	prismatic
□ 8177	CRI 90	3000k	7470lm	prismatic
■ 8176N	CRI 90	4000k	7605lm	prismatic
□ 8177N	CRI 90	4000k	7605lm	prismatic

XO PRO 1910

PENDANT LUMINAIRES | UP DOWN LIGHT

110-127/220-240V | 108W



led				optics
■ 8178	CRI 90	3000k	11205lm	prismatic
□ 8179	CRI 90	3000k	11205lm	prismatic
■ 8178N	CRI 90	4000k	11430lm	prismatic
□ 8179N	CRI 90	4000k	11430lm	prismatic

XO PRO 1910

PENDANT LUMINAIRES | SEPARATE UP DOWN LIGHT

110-127/220-240V | 108W



led				optics
■ 8180	CRI 90	3000k	11205lm	prismatic
□ 8181	CRI 90	3000k	11205lm	prismatic
■ 8180N	CRI 90	4000k	11430lm	prismatic
□ 8181N	CRI 90	4000k	11430lm	prismatic

side finishes

Aluminum

1

2

Veneer

3



4


5

Options: diffused / hidden light | Materials: Aluminum, Veneer, Polycarbonate

TILES

Num lighting modular tiles have a magnetic back designed to be flexible in creating a unique and custom layout. Once mounted, our modular panels can be removed from their backing and rotated 90, 180 or, 270 degrees, creating a new light-scape which is customized suited to the user's taste. The tile-based system is flexible in layout and is easily assembled.






DECO TILE

Inspired by the geometry of the Art Deco style, the Deco tile showcases divergent diagonal lines. When viewed from different angles, the edges of the Deco tile become emboldened or hidden, giving the tile an entrancing appearance.






DECO

TILE | CEILING WALL LIGHT

110-127/220-240V | 20W




led				optics
■ 8200	CRI 90	3000k	600lm	diffused
□ 8201	CRI 90	3000k	1200lm	diffused
■ 8202	CRI 90	3500k	625lm	diffused
□ 8203	CRI 90	3500k	1250lm	diffused
■ 8204	CRI 90	4000k	675lm	diffused
□ 8205	CRI 90	4000k	1300lm	diffused


397 mm
15.63"

397 mm
15.63"

9.5 mm
3.74"

Materials: Polycarbonate





CUBOIDS TILE

The first design produced by Num Lighting, the Cuboid tile showcases rectangles that appear to be suspended in space when illuminated by its panel of LEDs. The Cuboid tile has a mesmerizing view due to its timeless combinations of geometric shapes.






CUBOIDS

TILE | CEILING WALL LIGHT

110-240V | 20W



led				optics
☐ 8206	CRI 90	3000k	2000lm	diffused
☐ 8218	CRI 90	3500k	2100lm	diffused
☐ 8210	CRI 90	4000k	2200lm	diffused


397 mm
15.63"

9.5 mm
3.94"

Materials: Polycarbonate

44


LAYOUT SUGGESTIONS



DUNE TILE

The soft 3-D curves of the Dune tile communicate an organic element which becomes dynamic when viewed from different angles. The smooth tone of the tile gives the room a tranquil feel when turned on or off.







DUNE

TILE | CEILING WALL LIGHT

110-240V | 20W






	led			optics
□ 8212	CRI 90	3000k	2400lm	diffused
□ 8214	CRI 90	3500k	2500lm	diffused
□ 8216	CRI 90	4000k	2600lm	diffused




Materials: Polycarbonate

COMPOSITION SUGGESTIONS



TOP

The Top has an elegant precision that bridges organic attributes to a geometric shape. Each fixture is made from a single block of solid PMAA and emits a glowing effect that will warm any residence or workplace.





TOP

PENDANT LUMINAIRES

110-127/220-240V | 9W/12W

LED

DALI

CE

IS

IP20

	led				optics
■ 8320	CRI 90	3000k	1200lm		diffused
□ 8321	CRI 90	3000k	1200lm		diffused
■ 8322	CRI 90	3000k	1200lm		diffused


	led				optics
■ 8323	CRI 90	3000k	1750lm		diffused
□ 8324	CRI 90	3000k	1750lm		diffused
■ 8325	CRI 90	3000k	1750lm		diffused

Materials: Aluminum, Brass, PMMA



BELLA

The Bella, designed by Dor Carmon, is a union between technical ability and soft elegance. The cast-aluminum body has smooth curved ribs and emits light from the top and bottom of the fixture. With a UGR rating under 19, the Bella uniquely embodies grace and power, making it a companion for a working environment





BELLA

PENDANT LUMINAIRES

110-127/220-240V | 40.7W




	led			optics
■ 8350	CRI 90	3000k	2250lm down 1250lm up	diffused
□ 8351	CRI 90	3000k	2250lm down 1250lm up	diffused
■ 8352	CRI 90	3000k	2250lm down 1250lm up	diffused
■ 8350N	CRI 90	4000k	2350lm down 1300lm up	diffused
□ 8351N	CRI 90	4000k	2350lm down 1300lm up	diffused
■ 8352N	CRI 90	4000k	2350lm down 1300lm up	diffused

Materials: Aluminum, PolyCarbonate diffuser



CYLINDER 100

The cylinder 100 made of an acrylic cylinder which houses a LED bar, the tube provides functional full radial illumination. Its minimalistic appearance and elegant proportions make it seems as if it is floating in the space.





CYLINDER 100

PENDANT LUMINAIRES

220-240V | 60W/84W

LED

DALI

CE

IS


IP20

	led			optics
■ 8390	CRI 90	3000k	7016lm	diffused
□ 8391	CRI 90	3000k	7016lm	diffused

	led			optics
■ 8392	CRI 90	3000k	10100lm	diffused
□ 8393	CRI 90	3000k	10100lm	diffused



Materials: Aluminum, PMMA





Num lighting can produce LED light fixtures in different shapes using our advanced technique. The resulting products are thin and emit homogenous light, for functional and ornamental use, that are mounted on the wall or ceiling

COMPOSITION SUGGESTIONS





TRI

CEILING WALL LIGHT

110-127/220-240V | 26W/33W

LED


DALI


SELV60

CE


IS

IP20

	led			optics	
■ 8401	CRI 80	3000k	1700lm	diffused	
□ 8402	CRI 80	3000k	1700lm	diffused	

	led			optics	
■ 8403	CRI 80	3000k	2100lm	diffused	
□ 8404	CRI 80	3000k	2100lm	diffused	


Materials: Aluminum, PMMA







MULTI

Engineered with Corning light management substrate, the Multi offers a multitude of options and design abilities. Composed of a 30x30 cm of patented transparent glass lighting material, and a 30x60 cm customizable section of acoustic panels, the Multi provides opportunities for every setting. Whether you desire color or a pattern, the bespoke nature of this piece allows creativity to shine through.



COMPOSITION SUGGESTIONS








MULTI

PENDANT | WALL LIGHT

110-127/220-240V | 23W



Acoustic pannels options:

3

2


1

Materials: Glass, Aluminum, Veneer, Felt



PEEK

The peek is a pendant light that can be a perfect fit for any space. Its indirect soft light and vibrant colors bring harmony and fun to the room.



PEEK

PENDANT LUMINAIRES | DOWN LIGHT

110-127/220-240V | 37W

LED

DALI

DS

SELV


60

CE

IS

IP20

	led				optics
8440	CRI 90	3000k	3300lm		indirect
8441	CRI 90	3000k	3300lm		indirect
8442	CRI 90	3000k	3300lm		indirect
8443	CRI 90	3000k	3300lm		indirect
8444	CRI 90	3000k	3300lm		indirect



Materials: Aluminum

PEEK

PENDANT LUMINAIRES | UP DOWN LIGHT

110-127/220-240V | 48W

LED

DALI

DS

SELV


60

CE

IS

IP20

	led				optics
8445	CRI 90	3000k	4700lm		indirect
8446	CRI 90	3000k	4700lm		indirect
8447	CRI 90	3000k	4700lm		indirect
8448	CRI 90	3000k	4700lm		indirect
8449	CRI 90	3000k	3300lm		indirect





360°

The 360 revitalizes and redefines a traditional LED tube. Due to unique and innovative construction, the 360 emits completely uniform light from all directions. This allows the tube to be mounted vertically, horizontally, or in any configuration and the light maintains consistency from all viewing angles.



COMPOSITION SUGGESTIONS





360°

PENDANT LUMINAIRES

110-127/220-240V | 40W/60W/100W




	led				optics
■ 8500	CRI 80	3000k	1200lm		diffused
□ 8501	CRI 80	3000k	1200lm		diffused
■ 8502	CRI 80	3000k	1200lm		diffused
■ 8503	CRI 80	3000k	1200lm		diffused

	led				optics
■ 8504	CRI 80	3000k	3400lm		diffused
□ 8505	CRI 80	3000k	3400lm		diffused
■ 8506	CRI 80	3000k	3400lm		diffused
■ 8507	CRI 80	3000k	3400lm		diffused

	led				optics
■ 8508	CRI 80	3000k	5500lm		diffused
□ 8509	CRI 80	3000k	5500lm		diffused
■ 8510	CRI 80	3000k	5500lm		diffused
■ 8511	CRI 80	3000k	5500lm		diffused



Materials: Aluminum, PMMA, Brass





SYMBOLS

 Indoor	 LED	 Dipswitch
 Outdoor	 DALI dimmer	 $\text{selv} \leq 60$
 Ceiling installation	 Down light only	 Israeli standard
 Wall installation	 Up down light	 Optional hidden light
 Ceiling wall installation	 Separate up down light	
 Pendant light	 All sides light	
 IP20	 Cable included	
 Europe safety	 Integral driver	




FINISHES

 1 RAL 9005 2 RAL 9005 3 Oak 4 Umber 5 Rosewood	 RAL 9005 RAL 9005 RAL 5023	 RAL 9005 1 Walnut 2 Felt 3 Oak	 1 RAL 9005 2 RAL 9005 3 RAL 7023 4 BRASS
 RAL 9005 RAL 9005 Brass	 RAL 9005 RAL 9005	 RAL 9005 RAL 9005	 1 RAL 9005 2 RAL 9005 3 Oak 4 Umber 5 Rosewood
 RAL 9005 RAL 9005 RAL 7003 RAL 5000 RAL 3013			

NOTES

Art direction: Market Blend
Product photography: Arkadi Raskin
Copywriting: NUM lighting Marketing Dept

Num lighting always aspires to be at the front line with any new technology and to comply with the latest standards. Therefore, our products may be subjected to change.
Num lighting reserves the right to alter materials, dimensions, and other product characteristics without prior notice. This catalog replaces all previous brochures.



NUMLIGHTING

Hafetz Haim 10 Tel Aviv 6744124 | Tel: 972-3-7440388
info@numlighting.com | www.numlighting.com